

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	38	("20010010732" "3971950" "4407163" "4509368" "4543959" "4936291" "5003979" "5133020" "5233299" "5359513" "5361767" "5474072" "5479927" "5603326" "5630426" "5640956" "5660185" "5664573" "5735264" "5776062" "5799100" "5803082" "5810742" "5820552" "5828774" "5832103" "5840022" "5851180" "5855554" "5872828" "5938613" "5983123" "5984870" "5999639" "6088473" "6180943" "6421454" "6553356").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/14 08:37
L4	1	128/922.ccls. and (multiple same modality) and tomograph\$2 and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 08:46
L5	2	250/363.01-363.05.ccls. and (multiple same modality) and tomograph\$2 and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 08:49
L6	10	378/4-27.ccls. and (multiple same modality) and tomograph\$2 and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 08:49
L7	56	(multiple same modality) and tomograph\$2 and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 09:11
L8	14	382/128,130-132.ccls. and (multiple same modality) and tomograph\$2 and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 09:11
L9	42	l7 not l8	US-PGPUB; USPAT	OR	ON	2007/09/14 09:12
L10	40	l9 not l5	US-PGPUB; USPAT	OR	ON	2007/09/14 09:12
L11	32	l10 not l6	US-PGPUB; USPAT	OR	ON	2007/09/14 09:19
L15	21	(ct\$spect or ct\$pet) and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 09:24
L16	46	(spect\$ct or pet\$ct or spect\$pet or pet\$spect) and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 09:25
L17	3	("2003/0194121").URPN.	USPAT	OR	ON	2007/09/14 09:37
L20	105	(pet\$ct or ct\$pet) and (attenuation near correct\$3)	US-PGPUB; USPAT	OR	ON	2007/09/14 09:55
S1	1	"20060013459".pn.	US-PGPUB; USPAT	OR	ON	2007/09/13 18:29

EAST Search History

S2	14	382/128,130-132.ccls. and (multiple same modality) and tomograph\$2 and back\$project\$3	US-PGPUB; USPAT	OR	ON	2007/09/14 09:10
----	----	--	--------------------	----	----	------------------


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

"of" is a very common word and was not included in your search. [\[details\]](#)

Scholar All articles - [Recent articles](#) Results 1 - 10 of about 148 for **schmidlin iterative reconstruction**

All Results

Tip: Looking for pictures? Try [Google Images](#)

[H Hudson](#)

[R Larkin](#)

[L Strauss](#)

[S Reske](#)

[J Kotzerke](#)

Iterative reconstruction of PET images using a high-overrelaxation single-projection algorithm - all 6 versions »

P Schmidlin, ME Bellemann, G Brix - Phys. Med. Biol, 1997 - iop.org

... Iterative image reconstruction is known to be a slow process ... and Vardi 1982), a precise

PET image requires more ... parameters came up early (Schmidlin 1972, Lewitt ...

Cited by 20 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Accelerated image reconstruction using ordered subsets of projection data - all 8 versions »

HM Hudson, RS Larkin - Medical Imaging, IEEE Transactions on, 1994 - ieeexplore.ieee.org

... parameters in iterative image reconstruction, Schmidlin, P.; Brix ... correction using iterative reconstruction algorithms, Chuanyong ... in the reconstruction of small ...

Cited by 926 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Improved iterative image reconstruction using variable projection binning and abbreviated ... - all 3 versions »

P Schmidlin - European Journal of Nuclear Medicine and Molecular Imaging, 1994 - Springer

... Peter Schmidlin Forschungsschwerpunkt Radiologie, Deutsches Krebsforschungszentrum ...

the Scanditro- nix PET, one with ... d. Results of iterative reconstruction of a ...

Cited by 48 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Use of scanner characteristics in iterative image reconstruction for high-resolution positron ... - all 4 versions »

... , ME Bellemann, H Trojan, U Haberkorn, P Schmidlin ... - European Journal of Nuclear Medicine and Molecular Imaging, 1997 - Springer

... Uwe Haberkorn, Peter Schmidlin, Hermann Ostertag ... characteristics into the process of iterative image reconstruction. ... characteristics of the PET camera were ...

Cited by 22 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Fast accurate iterative reconstruction for low-statistics positron volume imaging - all 6 versions »

AJ Reader, K Erlandsson, MA Flower, RJ Ott - Phys. Med. Biol, 1998 - iop.org

... Imaging at press Schmidlin P, Bellemann ME and Brix G 1997 Iterative reconstruction of PET images using a high-overrelaxation single-projection algorithm Phys. ...

Cited by 73 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Fluorine-18 deoxyglucose and false-positive results: a major problem in the diagnostics of ... - all 4 versions »

LG Strauss - European Journal of Nuclear Medicine and Molecular Imaging, 1996 - Springer

... be optimized by implementing the iterative reconstruction method to ... correlation of